

# MACH = RECON

**30 KW** 

PEAK POWER
(Electrical Power)

155 KM/H

MAX SPEED (Company Tested)

100 NM

PEAK MOTOR TORQUE 231 KM

CITY RANGE (WMTC)



## **DESIGN**

**AERO SURFACES** 

### **LASER**



Turbo Red

### **SHADOW**



Asteroid Grey

## AIRSTRIKE



Supersonic Silver

**AIRSTRIKE** 



Stellar White

F SERIES -JET INSPIRED

**DESIGN SERIES** 

DYNAMIC, RACE-BRED

**STANCE** 

PARALLAX & RADAR

**CONSOLE THEMES** 



## **PERFORMANCE**

POWER 30 KW 20 KW

PEAK POWER
(Electrical Power)

NET POWER
(ECE R85)

9.5 KW @ 3000 RPM

**CONTINUOUS POWER** (ECE R85)

TORQUE 100 NM

**PEAK MOTOR TORQUE** 

SPEED 155 KM/H 144 KM/H

MAX. SPEED TOP SPEED (Company tested) (ECE R39.01)

ACCELERATION 2.8 SEC 7.7 SEC

0-60 KM/H 0-100 KM/H

REGENERATIVE 10 LEVELS DYNAMIC

BRAKING REGEN

RIDE MODES GLIDE, COMBAT, BALLISTIC

REQUIRED A1

**RANGE** 231 KM 143 KM

CITY RANGE
(As per WMTC)
(As per WMTC)



## **SMART TECH**

**VIOLETTE A.I.** 

DELTA WATCH Optional

**LOCKDOWN** Optional

ANTI-COLLISION WARNING SYSTEM Optional

CRASH ALERT Optional

DAILY RIDE ANALYTICS Optional

CONTROL CENTER Multi-function 5" TFT display with tactile

input switch console (L+R)

OPERATING SYSTEM UV Automotive Linux OS

SAFETY Auto dimming LED Headlight with Ultra-V

position lamp

Dual LED tail light assembly with central

brake light

Front and Rear LED Hazard Lights

Sidestand Sensor

TRACTION CONTROL 4 levels

HILL HOLD Included

ABS Mono & Dual Channel

D.S.C - DYNAMIC STABILITY Included

CONTROL





**CHARGE LIMIT** Included

**PARK ASSIST** Included

**FIND MY F77** Included

**DEEP SLEEP** Included

**TPMS** Included

## **BATTERY SYSTEM**

**BATTERY PACK** SRB<sub>10</sub>

**ENERGY CAPACITY** 10.3 kWh

**ENCLOSURE** All-Aluminum IP67-rated enclosure

**BMS & SAFETY PROTOCOLS Battery Management System with patented** 

5-level safety system - Mechanical, Thermal,

Electrical, Electronic & Software protection

## **BATTERY & DRIVETAIN WARRANTY**

**UV CARE** 5 years or 100.000 km included

## **VEHICLE WARRANTY**

STANDARD WARRANTY (VEHICLE)

3 years or 30.000 km included



## **CHARGING**

CHARGING PORT IEC 62196-6

BOOST CHARGER Included

**CHARGE RATE** 20% - 80% in 2.5 hrs

## **DRIVETRAIN**

MOTOR Permanent Magnet AC Motor

THROTTLE CONTROL Ride-by-wire

## **MECHANICAL**

FRAME Steel Trellis with Aluminium Bulk Head

FRONT SUSPENSION Upside-down Telescopic fork with a diameter

of 41 mm. Preload adjustable

**REAR SUSPENSION** Monoshock - preload adjustable

BRAKE SYSTEM Hydraulic disc brakes with dual-channel

**BOSCH ABS** 

BRAKE CALIPERS Front: Fixed 4-Radial Piston Type

Rear: Single Piston Floating Caliper Type

BRAKE ROTOR Front: 320mm disc Rear: 230mm disc

TYRES Front: 110/70 R17 Rear: 150/60 R17





## CONNECTIVITY

NETWORK LTE connectivity with integrated eSIM

WLAN Supports 802.11a/b/g/n/ac Wi-Fi standards

BLUETOOTH Supports Bluetooth 5, Bluetooth low energy

POSITIONING GPS/GLONASS

## **DIMENSIONS**

WHEEL BASE 1340 mm

SEAT HEIGHT 800 mm

KERB WEIGHT 207 kg

GROUND CLEARANCE 160 mm